CATENT COOPERATION TREATY

From the INTERNATIONAL BUREAU **PCT** Commissioner **NOTIFICATION OF ELECTION US Department of Commerce** United States Patent and Trademark (PCT Rule 61.2) Office, PCT 2011 South Clark Place Room CP2/5C24 Arlington, VA 22202 **ETATS-UNIS D'AMERIQUE** Date of mailing (day/month/year) in its capacity as elected Office 27 March 2001 (27.03.01) International application No. Applicant's or agent's file reference PCT/EP00/06176 P-TREFIL-2/W International filing date (day/month/year) Priority date (day/month/year) 03 July 2000 (03.07.00) 23 July 1999 (23.07.99) **Applicant** FELGEN, Fernand 1. The designated Office is hereby notified of its election made: X in the demand filed with the International Preliminary Examining Authority on: 30 December 2000 (30.12.00) in a notice effecting later election filed with the International Bureau on: 2. The election was not made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland Authorized officer

Juan Cruz

Telephone No.: (41-22) 338.83.38

Facsimile No.: (41-22) 740.14.35





REC'D 0 8 OCT 2001

WIPO PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant	's or ar	ent's file reference	1		
P-TREF			FOR FURTHER ACTION		tion of Transmittal of International Examination Report (Form PCT/IPEA/416)
Internatio	nal app	olication No.	International filing date (day/month	/year)	Priority date (day/month/year)
PCT/EF	200/00	6176	03/07/2000		23/07/1999
Internation C23C2/	20	ent Classification (IPC) or na	tional classification and IPC		
TREFIL	ARBE	ED BISSEN S.A. et al.			
		national preliminary exami smitted to the applicant a		by this Inter	national Preliminary Examining Authority
2. This	REPO	ORT consists of a total of	5 sheets, including this cover sl	neet.	
	been :	amended and are the bas	d by ANNEXES, i.e. sheets of the is for this report and/or sheets corrections of the Administrative Instructions.	ontaining rec	, claims and/or drawings which have tifications made before this Authority PCT).
Thes	se anr	exes consist of a total of	1 sheets.		
3. This	repor	t contains indications relat	ting to the following items:		
1	\boxtimes	Basis of the report			
B		Priority			
· III		Non-establishment of or	pinion with regard to novelty, inv	entive step a	nd industrial applicability
IV		Lack of unity of invention		•	,
V	⊠	Reasoned statement un citations and explanatio	der Article 35(2) with regard to r	novelty, inven	ntive step or industrial applicability;
VI		Certain documents cite	d		
VII	\boxtimes	Certain defects in the in	ternational application		
VIII		Certain observations on	the international application		
			· · · · · · · · · · · · · · · · · · ·		
Date of su	bmissio	on of the demand	Date of c	ompletion of th	nis report
30/12/20	000		04.10.20	01	
		g address of the international	Authorize	ed officer	abGOE3 MIT.
preliminary (Euro D-80	ining authority: opean Patent Office 0298 Munich +49 89 2399 - 0 Tx: 523656	epmu d	K-M	
Fax: +49 89 2399 - 4465			Telephor	ie No. +49 89 2	2399 8130

I. Basis of the report

1.	With regard to the elements of the international application (Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)): Description, pages:						
	1-4	,6,7	as originally filed				
	5	-	ās recēived on	_	17/08/2001	with letter of	17/08/2001
	Cla	ims, No.:					
	1-1	2	as originally filed				
	Dra	wings, sheets:					
	1/2	,2/2	as originally filed				
2.			guage, all the elements international applicatio				hed to this Authority in the under this item.
	The	ese elements were	available or furnished t	o this Au	thority in the fo	ollowing language	e: , which is:
		the language of a	translation furnished for	or the pur	poses of the i	nternational sear	ch (under Rule 23.1(b)).
		the language of p	ublication of the interna	itional ap	plication (und	er Rule 48.3(b)).	
		the language of a 55.2 and/or 55.3)		or the pur	poses of inter	national prelimina	ary examination (under Rule
3.	3. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:						
		contained in the in	nternational application	in writter	n form.		
			the international applic			able form.	
			uently to this Authority i		•		
		furnished subseq	uently to this Authority i	n compu	ter readable fo	orm.	
		The statement tha		nished wr	itten sequenc		go beyond the disclosure in
			at the information recor			ole form is identic	cal to the written sequence
4.	The	amendments have	e resulted in the cancel	lation of:			

		the description,	pages:
		the claims,	Nos.:
		the drawings,	sheets:
5.		-	established as if (some of) the amendments had not been made, since they have been rond the disclosure as filed (Rule 70.2(c)):
		(Any replacement sh report.)	eet containing such amendments must be referred to under item 1 and annexed to this
6.	Add	itional observations, i	f necessary:
V.			der Article 35(2) with regard to novelty, inventive step or industrial applicability;
1.	Stat	ement	

Novelty (N)

Yes:

Claims 1-12

No:

No:

Claims

Inventive step (IS)

Yes: Claim

Claims 1-12

Industrial applicability (IA)

Yes:

Claims 1-12

No:

Claims

Claims

2. Citations and explanations see separate sheet

VII. Certain defects in the international application

The following defects in the form or contents of the international application have been noted: see separate sheet



Re Item V

Reasoned statement under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. CITED DOCUMENTS

Reference is made to the following documents:

- D1: EP-A-0 038 975 (BETHLEHEM STEEL CORPORATION) 4 November 1981 (1981-11-04)
- D2: EP-A-0 038 036 (BETHLEHEM STEEL CORPORATION) 21 October 1981 (1981-10-21)
- D3: PATENT ABSTRACTS OF JAPAN vol. 005, no. 168 (C-077), 27 October 1981 (1981-10-27) & JP 56 098466 A (NIPPON STEEL CORP), 7 August 1981 (1981-08-07)
- D4: PATENT ABSTRACTS OF JAPAN vol. 1995, no. 01, 28 February 1995 (1995-02-28) & JP 06 287736 A (MITSUBISHI HEAVY IND LTD), 11 October 1994 (1994-10-11)
- D5: PATENT ABSTRACTS OF JAPAN vol. 1999, no. 02, 26 February 1999 (1999-02-26) & JP 10 298727 A (NKK CORP), 10 November 1998 (1998-11-10)
- D6: EP-A-0 566 497 (CLECIM) 20 October 1993 (1993-10-20)
- D7: FR-A-2 136 001 (DEMAG) 22 December 1972 (1972-12-22)
- 2. Document D1, which is regarded as the closest prior art, discloses a gas wiping nozzle for a wire coating apparatus, comprising a passage, for a wire coated with molten metal being drawn therethrough along a central axis, said passage including: a converging inlet section through which said wire coated with molten metal enters into said gas wiping nozzle (see in D1: claims 1 and 18, fig. 2 and p. 14, l. 15-25); a wiping section (fig. 2 (134)) arranged downstream of said inlet section (fig. 2 (129)) and having therein gas outlet means (134) surrounding said passage for blowing wiping gas against the surface of said wire being drawn therethrough; so that the upper portion of the converging inlet section (129) extends to the gas wiping orifice (134) (see D1 p. 14, I. 28-30 and fig. 2) i.e. at the level of the gas wiping orifice (134) its dimension equals that of the passage (129).



Thus, D1 differs from the claim 1 of the current application in that there is no protruding lip in D1 to protect said gas outlet means (134) in said wiping section from direct contact with the coated wire. This is also the case in D2. The protruding lip of the current application has the advantage that the molten metal will remain under the lip and flow down to the inlet section. Thus, the molten metal will not fill the gas outlet means and the gas wiping nozzle will not have to be cleaned or replaced. Thus the subject-matter of claims 1-12 is regarded as novel and inventive.

- 3. None of the documents D3-D7 discloses or suggests such the protruding lip of the current claim 1.
- 4. Documents D3-D5, which are also related to gas wiping nozzles, appear to disclose position detecting means surrounding a passage, for detecting a wire deviating from said central axis in said passage. In D4 and D5 this is achieved with magnets i.e. through the use of induction sensors.
- 5. D6, a document about air knifes, also discloses position detecting means surrounding a passage, for detecting a wire deviating from said central axis in said passage (claim 10, fig. 4, col. 9, l. 1-10). The chamber (3) in fig. 2 of D6 can be regarded as a gas equalization chamber. Moreover, there are also pressure sensors for measuring the wiping gas pressure in D6 (col. 7, I. 12-32).
- 6. Document D7 discloses a plant for coating a continuously moving strip including a turbine rotor that is situated in a chamber and rotated by the wiping gas (claims 1 and 2). The number of rotations is measured (p. 3, I. 10-16).

Re Item VII

Certain defects in the international application

Contrary to the requirements of Rule 5.1(a)(ii) PCT, the relevant background art disclosed in the documents D1-D7 is not mentioned in the description, nor are these documents identified therein.

5

10

20

25

30

í

Ş

EP0006176

5

P-TREFIL-2/WO

that the metallic ring 30 and the wire 12 serve as a switch that triggers an alarm in case of contact between the wire 12 and the lip 28. An operator warned by the alarm can stop or intervene in the coating process to repair the malfunction.

Turning now to Fig.3, four sensors 36 are arranged at the same level down-stream the gas outlet slit 26, in the passage walls, and are regularly spaced about the circumference of the passage 16. These four sensors 36 are part of position detecting means, enabling the detection of a wire 12 deviating from the central axis 20, before it contacts the lip 28.

The configuration shown in Fig.3 is e.g. suitable for temperature or inductive sensors. The four sensors 36 deliver four signals which are permanently compared to each other by the position detecting means. When the wire 12 is in the center of the passage 16, i.e. aligned along the central axis 20, the four sensors 36 deliver the same signal. Hence, if one of the signals differs from the others, the wire 12 has deviated from the central axis 20.

15 It is possible to detect the position of the wire 12 by using optical sensors, such as light beams and photoelectric cells.

A further possibility is the use of two perpendicular laser beams impinging on the wire 12. When a wire 12 deviates from the central axis 20, the laser beam reflects on the opposite passage wall instead of reflecting on the wire 12. The return time of the laser beam increases, thereby signaling the deviation of the wire 12.

Fig.4 shows a longitudinal section of a second nozzle 38. As in Fig.1, a wire 12 is drawn through the nozzle 38 along a central axis 20, via a passage 16, in the direction indicated by arrow 21. The wire 12 enters the nozzle 38 through a converging inlet section 40, passes through a wiping section 42, then through a tubular section 44, and exits the nozzle 38 through a diverging section 46. The wiping section 42 comprises a gas outlet slit 26 for wiping excess molten metal off the surface of the wire 12. A lip 28 equipped with a metallic ring 30, similar to the lip of Fig.1, is located just before the gas outlet slit 26. As explained above, the lip 28 protects the gas outlet slit 26 from direct contact with the wire 12. The arrow 48 indicates a gas inlet 49 in an equalization chamber 50 surrounding the

WO 01/07675

5

10

20

25

30



that the metallic ring 30 and the wire 12 serve as a switch that triggers an alarm in case of contact between the wire 12 and the lip 28. An operator warned by the alarm can stop or intervene in the coating process to repair the malfunction.

Turning now to Fig.3, four sensors 36 are arranged at the same level downstream the gas outlet slit 26, in the passage walls, and are regularly spaced about the circumference of the passage 16. These four sensors 36 are part of position detecting means, enabling the detection of a wire 12 deviating from the central axis 20, before it contacts the lip 28.

The configuration shown in Fig.3 is e.g. suitable for temperature or inductive sensors. The four sensors 26 deliver four signals which are permanently compared to each other by the position detecting means. When the wire 12 is in the center of the passage 16, i.e. aligned along the central axis 20, the four sensors 36 deliver the same signal. Hence, if one of the signals differs from the others, the wire 12 has deviated from the central axis 20.

15 It is possible to detect the position of the wire 12 by using optical sensors, such as light beams and photoelectric cells.

A further possibility is the use of two perpendicular laser beams impinging on the wire 12. When a wire 12 deviates from the central axis 20, the laser beam reflects on the opposite passage wall instead of reflecting on the wire 12. The return time of the laser beam increases, thereby signaling the deviation of the wire 12.

Fig.4 shows a longitudinal section of a second nozzle 38. As in Fig.1, a wire 12 is drawn through the nozzle 38 along a central axis 20, via a passage 16, in the direction indicated by arrow 21. The wire 12 enters the nozzle 38 through a converging inlet section 40, passes through a wiping section 42, then through a tubular section 44, and exits the nozzle 38 through a diverging section 46. The wiping section 42 comprises a gas outlet slit 26 for wiping excess molten metal off the surface of the wire 12. A lip 28 equipped with a metallic ring 30, similar to the lip of Fig.1, is located just before the gas outlet slit 26. As explained above, the lip 28 protects the gas outlet slit 26 from direct contact with the wire 12. The arrow 48 indicates a gas inlet 49 in an equalization chamber 50 surrounding the



From the INTERNATIONAL BUREAU

PCT

NOTICE INFORMING THE APPLICANT OF THE COMMUNICATION OF THE INTERNATIONAL APPLICATION TO THE DESIGNATED OFFICES

(PCT Rule 47.1(c), first sentence)

SCHMITT. Armand Office E nest DETE lcdm -8001 StrassenECEIVED SCY 0 9 -02- 2001 ash mld iao cny FREYLINGER

Date of mailing (day/month/year)

01 February 2001 (01.02.01)

Applicant's or agent's file reference

P-TREFIL-2/W

International application No. PCT/EP00/06176

International filing date (day/month/year) 03 July 2000 (03.07.00)

Priority date (day/month/year) 23 July 1999 (23.07.99)

IMPORTANT NOTICE

Applicant

TREFILARBED BISSEN S.A. et al

1. Notice is hereby given that the International Bureau has communicated, as provided in Article 20, the international application to the following designated Offices on the date indicated above as the date of mailing of this Notice: AU, KP, KR, US

In accordance with Rule 47.1(c), third sentence, those Offices will accept the present Notice as conclusive evidence that the communication of the international application has duly taken place on the date of mailing indicated above and no copy of the international application is required to be furnished by the applicant to the designated Office(s).

2. The following designated Offices have waived the requirement for such a communication at this time:

AE,AG,AL,AM,AP,AT,AZ,BA,BB,BG,BR,BY,BZ,CA,CH,CN,CR,CU,CZ,DE,DK,DM,DZ,EA,EE,EP,ES, FI,GB,GD,GE,GH,GM,HR,HU,ID,IL,IN,IS,JP,KE,KG,KZ,LC,LK,LR,LS,LT,LU,LV,MA,MD,MG,MK, MN,MW,MX,MZ,NO,NZ,OA,PL,PT,RO,RU,SD,SE,SG,SI,SK,SL,TJ,TM,TR,TT,TZ,UA,UG,UZ,VN,YU, The communication will be made to those Offices only upon their request. Furthermore, those Offices do not require the applicant to furnish a copy of the international application (Rule 49.1(a-bis)).

3. Enclosed with this Notice is a copy of the international application as published by the International Bureau on 01 February 2001 (01.02.01) under No. WO 01/07675

REMINDER REGARDING CHAPTER II (Article 31(2)(a) and Rule 54.2)

If the applicant wishes to postpone entry into the national phase until 30 months (or later in some Offices) from the priority date, a demand for international preliminary examination must be filed with the competent International Preliminary Examining Authority before the expiration of 19 months from the priority date.

It is the applicant's sole responsibility to monitor the 19-month time limit.

Note that only an applicant who is a national or resident of a PCT Contracting State which is bound by Chapter II has the right to file a demand for international preliminary examination.

REMINDER REGARDING ENTRY INTO THE NATIONAL PHASE (Article 22 or 39(1))

If the applicant wishes to proceed with the international application in the national phase, he must, within 20 months or 30 months, or later in some Offices, perform the acts referred to therein before each designated or elected Office.

For further important information on the time limits and acts to be performed for entering the national phase, see the Annex to Form PCT/IB/301 (Notification of Receipt of Record Copy) and Volume II of the PCT Applicant's Guide.

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Authorized officer

J. Zahra

Telephone No. (41-22) 338.83.38

Facsimile No. (41-22) 740.14.35

PATENT COOPERATION TREATY



PCT

From the INTERNATIONAL BUREAU

To:

SCHMITT, Armand
Office Ernest T. Freylinger S.A.
Boîte Postale 8
L-8001 Strassen
LUXEMBOURG

NOTIFICATION CONCERNING SUBMISSION OR TRANSMITTAL OF PRIORITY DOCUMENT

(PCT Administrative Instructions, Section 411)

Date of mailing (day/month/year)
30 August 2000 (30.08.00)

Applicant's or agent's file reference
P-TREFIL-2/W

International application No.
PCT/EP00/06176

International publication date (day/month/year)
Not yet published

Applicant
TREFILARBED BISSEN S.A. et al

- 1. The applicant is hereby notified of the date of receipt (except where the letters "NR" appear in the right-hand column) by the International Bureau of the priority document(s) relating to the earlier application(s) indicated below. Unless otherwise indicated by an asterisk appearing next to a date of receipt, or by the letters "NR", in the right-hand column, the priority document concerned was submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b).
- 2. This updates and replaces any previously issued notification concerning submission or transmittal of priority documents.
- 3. An asterisk(*) appearing next to a date of receipt, in the right-hand column, denotes a priority document submitted or transmitted to the International Bureau but not in compliance with Rule 17.1(a) or (b). In such a case, the attention of the applicant is directed to Rule 17.1(c) which provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.
- 4. The letters "NR" appearing in the right-hand column denote a priority document which was not received by the International Bureau or which the applicant did not request the receiving Office to prepare and transmit to the International Bureau, as provided by Rule 17.1(a) or (b), respectively. In such a case, the attention of the applicant is directed to Rule 17.1(c) which provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.

Priority date

Priority application No.

Country or regional Office or PCT receiving Office

Date of receipt of priority document

23 July 1999 (23.07.99)

90421

LU

14 Augu 2000 (14.08.00)

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Authorized officer

R. Raissi

Facsimile No. (41-22) 740.14.35

Telephone No. (41-22) 338.83.38

Form PCT/IB/304 (July 1998)

003496433

& V

PATENT COOPERATION TREATY PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference P-TREFIL-2/W		of Transmittal of International Search Report 220) as well as, where applicable, item 5 below.
International application No.	International filing date (day/month/year)	(Earliest) Priority Date (day/month/year)
PCT/EP 00/06176	03/07/2000	23/07/1999
Applicant TREFILARBED BISSEN S.A.		
according to Article 18. A copy is being tra		thority and is transmitted to the applicant
	of a total of3 sheets. a copy of each prior art document cited in this	s report.
Basis of the report With regard to the language, the is language in which it was filed, unle	nternational search was carried out on the ba ess otherwise indicated under this item.	sis of the international application in the
Authority (Rule 23.1(b)). b. With regard to any nucleotide and was carried out on the basis of the contained in the internation filed together with the international subsequently to furnished subsequently to the statement that the subsinternational application as the statement that the inforfurnished 2. Certain claims were found Unity of Invention is lack 4. With regard to the title,	e sequence listing: nal application in written form. rnational application in computer readable for this Authority in written form. this Authority in computer readble form. sequently furnished written sequence listing of filed has been furnished. rmation recorded in computer readable form and unsearchable (See Box I). sting (see Box II).	nternational application, the international search
within one month from the 6. The figure of the drawings to be public as suggested by the applicant faile	ned, according to Rule 38.2(b), by this Author date of mailing of this international search re shed with the abstract is Figure No.	ity as it appears in Box III. The applicant may, port, submit comments to this Authority. 1 None of the figures.

International Application No

A. CLASSIFICATION OF SUBJECT IN ER IPC 7 C23C2/20

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

 $\begin{array}{ll} \mbox{Minimum documentation searched (classification system followed by classification symbols)} \\ \mbox{IPC 7} & \mbox{C23C} \\ \end{array}$

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

PAJ, WPI Data, EPO-Internal

	ENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, or	Relevant to claim No.	
A	EP 0 038 975 A (BETHLEHEM STE CORPORATION) 4 November 1981 figure 2	1	
A	EP 0 038 036 A (BETHLEHEM STE CORPORATION) 21 October 1981 figure 6	1	
A	PATENT ABSTRACTS OF JAPAN vol. 005, no. 168 (C-077), 27 October 1981 (1981-10-27) & JP 56 098466 A (NIPPON STEE 7 August 1981 (1981-08-07) abstract	L CORP), -/	4,5
X Furth	er documents are listed in the continuation of box C.	X Patent family member	s are listed in annex.
° Special cat	egories of cited documents :	"T" loter decument published of	ther the international films date
conside "E" earlier d filing de "L" documen which is citation "O" docume other m "P" documen	nt which may throw doubts on priority claim(s) or s cited to establish the publication date of another or other special reason (as specified) nt referring to an oral disclosure, use, exhibition or	cited to understand the pri invention "X" document of particular releverant be considered nover involve an inventive step we'r' document of particular releverant of combined with a combined with	conflict with the application but notiple or theory underlying the vance; the claimed invention el or cannot be considered to when the document is taken alone vance; the claimed invention wolve an inventive step when the hone or more other such docupation of the common stilled
	ctual completion of the international search	Date of mailing of the inten	national search report
24	October 2000	31/10/2000	
Name and m	ailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2	Authorized officer	

1

international Application No CT/EP 00/06176

C (Continu	ation) DOCUMENTS CON RED TO BE RELEVANT	C1/EF 00/061/6
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	PATENT ABSTRACTS OF JAPAN vol. 1995, no. 01, 28 February 1995 (1995-02-28) & JP 06 287736 A (MITSUBISHI HEAVY IND LTD), 11 October 1994 (1994-10-11) abstract	4,5
Α	PATENT ABSTRACTS OF JAPAN vol. 1999, no. 02, 26 February 1999 (1999-02-26) & JP 10 298727 A (NKK CORP), 10 November 1998 (1998-11-10) abstract	4,5
Α	EP 0 566 497 A (CLECIM) 20 October 1993 (1993-10-20) claims 1,10,11; figures 1-4	4,5,7,8
Α	FR 2 136 001 A (DEMAG) 22 December 1972 (1972-12-22) claims 1-5; figures 1-3	9-12
A	EP 0 103 238 A (FONTAINE) 21 March 1984 (1984-03-21) claims 1-8; figures 1-4	

1

Information on patent family members

International Application No PCT/EP 00/06176

					00/001/6
Patent docume cited in search re		Publication date	Patent fan member(Publication date
EP 38975	A	04-11-1981	AR 220 AT 16 AU 533 AU 6933 BR 8103 CA 1177 DE 316 DK 16 ES 503 ES 8309 ES 8309 FI 813 GB 2073 GR 75 IN 159 JP 1506 JP 63054 JP 63317 NO 811 NZ 196 YU 93	9480 A 6101 A 0756 T 9396 B 9481 A 2221 A 7341 A 7680 D 1781 A 1252 D 5425 A 2216 D 5426 A 1109 A 3785 A, B 5747 A 5747 A 6760 C 3252 A 4785 B 7655 A 1260 A 3381 A 2394 A	13-07-1982 31-05-1982 15-12-1984 27-09-1984 15-10-1981 13-10-1981 06-11-1984 24-01-1985 12-10-1981 01-04-1983 01-07-1983 01-07-1983 12-10-1981 21-10-1981 21-10-1981 31-07-1984 02-03-1985 13-07-1989 15-12-1981 31-10-1981 31-10-1988 26-12-1988 12-10-1981 19-10-1984 30-06-1984 28-04-1982
EP 38036	A	21-10-1981	US 4287 AT 8 AU 537 AU 6939 CA 1130 DE 3164 JP 56156	7238 A 3667 T 7944 B 9381 A 9662 A 1995 D 5746 A	01-09-1981 15-08-1984 19-07-1984 15-10-1981 31-08-1982 30-08-1984 03-12-1981 28-04-1982
JP 56098466	5 A	07-08-1981		225 B 876 C	14-04-1989 21-12-1989
JP 06287736	5 A	11-10-1994	NONE		
JP 10298727	7 A	10-11-1998	NONE		
EP 566497	Α	20-10-1993	AU 3700 DE 69303 DE 69303 ES 2088 JP 6106	170 A 593 A 316 D 316 T 647 T 500 A 437 A	22-10-1993 21-10-1993 01-08-1996 19-12-1996 16-08-1996 19-04-1994 26-07-1994
FR 2136001	Α	22-12-1972	GB 1380 IT 951	252 A 169 A 393 B	26-10-1972 08-01-1975 30-06-1973
EP 103238	Α	21-03-1984	AT 32	963 A 839 T 881 D	15-03-1984 15-03-1988 14-04-1988 13-09-1990

Information on patent family members

, t.,

International Application No

CT/EP 00/06176

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
EP 103238	Α		JP JP US	2000979 B 59076567 A 4535936 A	10-01-1990 01-05-1984 20-08-1985

PATENT COOPERATION TREATY

From the

INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

SCHMITT, Armand OFFICE ERNEST T. FREYLINGER S.A. B.P. 48 8001 Strassen LUXEMBOURG



NOTIFICATION OF TRANSMITTAL OF THE INTERNATIONAL PRELIMINARY **EXAMINATION REPORT**

(PCT Rule 71.1)

Date of mailing

(day/month/year)

04.10.2001

Applicant's or agent's file reference

P-TREFIL-2/W

IMPORTANT NOTIFICATION

International application No. PCT/EP00/06176

International filing date (day/month/year) 03/07/2000

Priority date (day/month/year)

23/07/1999

Applicant

TREFILARBED BISSEN S.A. et al.

- 1. The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary examination report and its annexes, if any, established on the international application.
- 2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
- 3. Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.

4. REMINDER

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices) (Article 39(1)) (see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

Name and mailing address of the IPEA/

Authorized officer

European Patent Office D-80298 Munich

Fax: +49 89 2399 - 4465

Tel. +49 89 2399 - 0 Tx: 523656 epmu d

Ferro Vasconcelos, M

Tel.+49 89 2399-7905





INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's	s or ag	ent's file reference			See Notific	ation of Transmittal of Internation	nal
P-TREF	IL-2/	W	FOR FURTHER A	CTION	Preliminary	Examination Report (Form PC)	[/IPEA/416)
	• •	lication No.	International filing date	(day/month	v/year)	Priority date (day/month/year)	
PCT/EP			03/07/2000			23/07/1999	
Internation C23C2/2		ent Classification (IPC) or r	national classification and l	PC			
Applicant		#6					
TREFIL	4RBE	D BISSEN S.A. et al.					
1. This and i	intern s tran	ational preliminary exar smitted to the applicant	nination report has bee according to Article 36.	n preparec	by this Inte	rnational Preliminary Examir	ning Authority
2. This	REPO	ORT consists of a total c	of 5 sheets, including th	is cover st	neet.	•	
I⊠ -	CI-:-						
	peen a	amended and are the ba	ed by ANNEXES, i.e. sl asis for this report and/c 307 of the Administrativ	r sheets c	ontaining re	n, claims and/or drawings wh ctifications made before this e PCT).	iich have Authority
		exes consist of a total of				,	
		ones solicion of a total o	a i dilecte.				
3. This	renort	contains indications rol	ating to the following ite				
			ating to the following ite	ems:			•
1	Ø	Basis of the report					
11		Priority					
111				ovelty, inv	entive step a	and industrial applicability	
IV	M						
V	×	citations and explanat	under Article 35(2) with ions suporting such sta	regard to r tement	novelty, inve	ntive step or industrial applic	ability;
VI		Certain documents cit					
VII	\boxtimes	Certain defects in the	international application	l			
VIII		Certain observations of	on the international appl	ication			
Date of sub	missic	on of the demand		Date of c	ompletion of t	his report	
30/12/20	00			04.10.20	01		
		g address of the internation ning authority:	al .	Authorize	ed officer		SIGNES MIT
		ning authority: pean Patent Office					Sie State St
<i>)</i>))	D-80)298 Munich +49 89 2399 - 0 Tx: 52365	6 epmu d	Терро,	K-M		
Fax: +49 89 2399 - 4465				Telephon	ie No. +49.89	2300 8120	BOW'S TOPIO - SUITE REAL



International application No. PCT/EP00/06176

I.	Bas	is	of	the	rei	oort

1.	the and	receiving Office in	nents of the international appli response to an invitation under o this report since they do not o	Article 14 are	referred to in this real	ort as "originally filed"			
	1-4	,6,7	as originally filed						
	5		as received on	17/08/2001	with letter of	17/08/2001			
	Cla	ims, No.:							
	1-1	2	as originally filed						
	Dra	wings, sheets:							
	1/2	2/2	as originally filed						
2.	Witi lang	With regard to the language, all the elements marked above were available or furnished to this Authority in the anguage in which the international application was filed, unless otherwise indicated under this item.							
	The	se elements were a	available or furnished to this Au	thority in the fo	ollowing language: ,	which is:			
		the language of a t	translation furnished for the pu	poses of the in	nternational search (u	nder Rule 23.1(b)).			
		the language of pu	blication of the international ap	plication (unde	er Rule 48.3(b)).).			
		the language of a t 55.2 and/or 55.3).	translation furnished for the pur	poses of inter	national preliminary e	xamination (under Rule			
3.	With	n regard to an y nuc rnational preliminar	leotide and/or amino acid sec y examination was carried out	quence discloson the basis of	sed in the internationa the sequence listing:	al application, the			
		contained in the in	ternational application in writter	n form.					
		filed together with	the international application in a	computer read	able form.				
	The statement that the subsequently furnished written sequence listing does not go beyond the disclosure international application as filed has been furnished.								
			the information recorded in co		le form is identical to	the written sequence			
4.	The	amendments have	resulted in the cancellation of:						





		the description,	pages:					
		the claims,	Nos.:					
		the drawings,	sheets:					
5.		This report has been considered to go bey	establishoond the d	ed as if (s isclosure	some of) the amendments had not been made, since they have been as filed (Rule 70.2(c)):			
		(Any replacement sh report.)	eet contai	ining such	h amendments must be referred to under item 1 and annexed to this			
6.	Add	Additional observations, if necessary:						
V.	Rea cita	soned statement un tions and explanatio	der Articl	e 35(2) w orting suc	with regard to novelty, inventive step or industrial applicability; sch statement			
1.	Stat	ement						
	Nov	relty (N)	Yes: No:	Claims Claims	· · · -			
	Inve	entive step (IS)	Yes: No:	Claims Claims	· · -			
	Indu	ıstrial applicability (IA)	Yes: No:	Claims Claims	· · -			
2.	Cita	tions and explanations	S					

VII. Certain defects in the international application

see separate sheet

The following defects in the form or contents of the international application have been noted: see separate sheet

Re Item V

Reasoned statement under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. CITED DOCUMENTS

Reference is made to the following documents:

- D1: EP-A-0 038 975 (BETHLEHEM STEEL CORPORATION) 4 November 1981 (1981-11-04)
- D2: EP-A-0 038 036 (BETHLEHEM STEEL CORPORATION) 21 October 1981 (1981-10-21)
- D3: PATENT ABSTRACTS OF JAPAN vol. 005, no. 168 (C-077), 27 October 1981 (1981-10-27) & JP 56 098466 A (NIPPON STEEL CORP), 7 August 1981 (1981-08-07)
- D4: PATENT ABSTRACTS OF JAPAN vol. 1995, no. 01, 28 February 1995 (1995-02-28) & JP 06 287736 A (MITSUBISHI HEAVY IND LTD), 11 October 1994 (1994-10-11)
- D5: PATENT ABSTRACTS OF JAPAN vol. 1999, no. 02, 26 February 1999 (1999-02-26) & JP 10 298727 A (NKK CORP), 10 November 1998 (1998-11-10)
- D6: EP-A-0 566 497 (CLECIM) 20 October 1993 (1993-10-20)
- D7: FR-A-2 136 001 (DEMAG) 22 December 1972 (1972-12-22)
- 2. Document D1, which is regarded as the closest prior art, discloses a gas wiping nozzle for a wire coating apparatus, comprising a passage, for a wire coated with molten metal being drawn therethrough along a central axis, said passage including: a converging inlet section through which said wire coated with molten metal enters into said gas wiping nozzle (see in D1: claims 1 and 18, fig. 2 and p. 14, l. 15-25); a wiping section (fig. 2 (134)) arranged downstream of said inlet section (fig. 2 (129)) and having therein gas outlet means (134) surrounding said passage for blowing wiping gas against the surface of said wire being drawn therethrough; so that the upper portion of the converging inlet section (129) extends to the gas wiping orifice (134) (see D1 p. 14, l. 28-30 and fig. 2) i.e. at the level of the gas wiping orifice (134) its dimension equals that of the passage (129).

EXAMINATION REPORT - SEPARATE SHEET

Thus, D1 differs from the claim 1 of the current application in that there is no protruding lip in D1 to protect said gas outlet means (134) in said wiping section from direct contact with the coated wire. This is also the case in D2. The protruding lip of the current application has the advantage that the molten metal will remain under the lip and flow down to the inlet section. Thus, the molten metal will not fill the gas outlet means and the gas wiping nozzle will not have to be cleaned or replaced. Thus the subject-matter of claims 1-12 is regarded as novel and inventive.

- None of the documents D3-D7 discloses or suggests such the protruding lip of the 3. current claim 1.
- Documents D3-D5, which are also related to gas wiping nozzles, appear to 4. disclose position detecting means surrounding a passage, for detecting a wire deviating from said central axis in said passage. In D4 and D5 this is achieved with magnets i.e. through the use of induction sensors.
- 5. D6, a document about air knifes, also discloses position detecting means surrounding a passage, for detecting a wire deviating from said central axis in said passage (claim 10, fig. 4, col. 9, l. 1-10). The chamber (3) in fig. 2 of D6 can be regarded as a gas equalization chamber. Moreover, there are also pressure sensors for measuring the wiping gas pressure in D6 (col. 7, I. 12-32).
- 6. Document D7 discloses a plant for coating a continuously moving strip including a turbine rotor that is situated in a chamber and rotated by the wiping gas (claims 1 and 2). The number of rotations is measured (p. 3, I. 10-16).

Re Item VII

Certain defects in the international application

Contrary to the requirements of Rule 5.1(a)(ii) PCT, the relevant background art disclosed in the documents D1-D7 is not mentioned in the description, nor are these documents identified therein.